

TAT (circle one)	3 Hours 6 Hours Same Day Next Day	PASI Batch #
	2 Days 3 Days 5 Days Other _____	
TAT in bus. days - lab approval required for rush analysis		

Client: _____ **PLM** Stop on first positive*: Yes / No ***If no selection is made the lab will analyze all samples**

Address: _____ **Chain of Custody** Special Instructions: _____

Relinquished By: _____ Date/Time: _____

Project #: _____ PO: _____ Received By Lab: _____ Date/Time: _____

Project Site: _____ Shaded area for lab use only. Due Date: _____

Contact: _____ # of Samples Received: _____ Analyzed: _____

Tel. / Fax #: _____ Results: email fax verbal By: _____ Date: _____

Email: _____ Analyst / Date: _____ QC by / Date: _____

Sample ID	Date Sampled	Description / Location	Stereo Scope			Optical Properties						RI		Asbestos Percentage (%)						Non Asbestos Percentage (%)								
			SSAPE	Color	Homogeneity	Texture	Friable	Morphology	Extinction	Sign of Elongation	Birefringence	Pleochroism		⊥	Chrysotile	Amosite	Crocidolite	Tremolite	Anthophyllite	Actinolite	Fiberglass	Mineral Wool	Cellulose	Hair	Synthetic	Other	Non Fibrous	

Each layer of multilayered materials are analyzed and charged individually (per NESHAP/EPA).